

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name:** AQUAMARINE

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77981
GREEN	CI # 74260
ORANGE	CI # 74160
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

**Radiant Colors**

**6601 Hollywood Blvd**

**Los Angeles Ca. 90028**

**Contact: Victor Hugo Delgadillo**

**800 515 1808**

**www.radiantcolors.com**

**Product Name: BABY PINK**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77981
RED	CI # 73915
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name:** BANANA

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77981
YELLOW	CI # 21108
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

[www.radiantcolors.com](http://www.radiantcolors.com)

**Product Name: BLOOD RED**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

RED	CI # 12475
ISOPROPANOL	C.A.S # 67-63-0
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENTIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: BLUE**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77981
BLUE	CI # 74160
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: BRIGHT ORANGE**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

YELLOW	CI # 11741
RED	CI # 12477
WATER:	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name:** BROWN

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

BROWN	CI # 77491
ISOPROPANOL	C.A.S # 67-63-0
WATER:	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name:** BUBBLE GUM PINK

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
RED	CI # 12477
WATER:	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: CANARY YELLOW**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

YELLOW

CI # 11741

WATER:

C.A.S # 7732-18-5

GLYCERIN

C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: CELESTIAL**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
BLUE	CI # 74160
WATER:	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: CHERRY**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

RED	CI # 12477
WHITE	CI # 77891
WATER:	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name:** CHOCOLATE

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

RED	CI # 12477
GREEN	CI # 74260
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

**Radiant Colors**

**6601 Hollywood Blvd**

**Los Angeles Ca. 90028**

**Contact: Victor Hugo Delgadillo**

**800 515 1808**

**www.radiantcolors.com**

**Product Name: COFFEE BROWN**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

RED	CI # 77491
BLACK	CI # 77226
ISOPROPANOL	C.A.S # 67-63-0
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: COPPER**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

BROWN	CI # 11740	YELLOW	CI # 77492
BROWN	CI # 21110	RED	CI # 12477
WHITE	CI # 77891	BLUE	CI # 74160
BROWN	CI # 12475	ISOPROPANOL	C.A.S # 67-63-0
WATER	C.A.S # 7732-18-5	GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name:** CORAL

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
RED	CI # 12477
YELLOW	CI # 11741
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name:** CORN

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
YELLOW	CI # 21108
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name:** COUNTRY BLUE

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
BLUE	CI # 74160
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO2, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

**Radiant Colors**

**6601 Hollywood Blvd**

**Los Angeles Ca. 90028**

**Contact: Victor Hugo Delgadillo**

**800 515 1808**

**www.radiantcolors.com**

**Product Name: DARK BROWN**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

BROWN	CI #11740	BROWN	CI # 21110
RED	CI # 12477	ORANGE	CI # 74160
WHITE	CI # 77891	ISOPROPANOL	C.A.S # 67-63-0
WATER	C.A.S # 7732-18-5		
GLYCERIN	C.A.S # 56-81-5		

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: DARK GREEN**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

YELLOW	CI #21108
GREEN	CI#74260
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: DARK RED**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

RED

CI # 12466

WATER

C.A.S # 7732-18-5

GLYCERIN

C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: DEEP BURGUNDY**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

RED	CI # 12466
GREEN	CI # 74260
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name:** DEEP GREEN

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

GREEN	CI # 74260
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name:** DEEP PINK

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
RED	CI # 12466
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: FLESH**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
YELLOW	CI# 77492
ISOPROPANOL	C.A.S # 67-63-0
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: FUSCHIA**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
RED	CI # 73915
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: GOLDEN YELLOW**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

YELLOW	CI # 11741
RED	CI # 12477
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: GRAPE**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
RED	CI # 12466
GREEN	CI # 74260
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: GRAY**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
BLACK	CI # 77226
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: INDIGO**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
VIOLET	CI # 73900
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name:** LAVANDER

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
VIOLET	CI # 51319
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: LEAF GREEN**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

YELLOW	CI # 11741
BLACK	CI # 77226
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO2, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: LEMON YELLOW**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
YELLOW	CI # 11741
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

**Radiant Colors**

**6601 Hollywood Blvd**

**Los Angeles Ca. 90028**

**Contact: Victor Hugo Delgadillo**

**800 515 1808**

**www.radiantcolors.com**

**Product Name: LIGHT BROWN**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

RED	CI # 77491
YELLOW	CI # 77492
ISOPROPANOL	C.A.S # 67-63-0
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name:** LIGHT RED

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

RED

CI # 12315

WATER

C.A.S # 7732-18-5

GLYCERIN

C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO2, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name:** LILAC

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
VIOLET	CI # 73900
ORANGE	CI # 74160
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO2, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: LIME GREEN**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

YELLOW	CI # 11741
BLUE	CI # 74160
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name:** LITE GREEN

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

YELLOW	CI # 11741
GREEN	CI # 74260
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: MAGENTA**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
RED	CI # 73915
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: MAUVE**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
VIOLET	CI # 73900
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: MEDIUM GREEN**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

BLUE	CI # 74160
YELLOW	CI # 11741
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name:** MIDNIGHT BLUE

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
BLUE	CI # 74160
VIOLET	CI # 73900
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name:** NAVY BLUE

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

BLUE	CI # 74160
WHITE	CI # 77891
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: NUGGET**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
YELLOW	CI # 21108
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: OLIVE**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
YELLOW	CI # 21108
VIOLET	CI # 73900
BLUE	CI # 74160
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name:** PALE FLESH

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
RED	CI # 77491
YELLOW	CI # 77492
ISOPROPANOL	C.A.S # 67-63-0
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: PLUM**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
RED	CI # 12477
GREEN	CI # 74260
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO2, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name:** ROYAL BLUE

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

BLUE	CI # 74160
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

**Radiant Colors**

**6601 Hollywood Blvd**

**Los Angeles Ca. 90028**

**Contact: Victor Hugo Delgadillo**

**800 515 1808**

**www.radiantcolors.com**

**Product Name: SALMON**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
YELLOW	CI # 21108
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: SCARLET RED**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

RED	CI # 12477
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

**Radiant Colors**

**6601 Hollywood Blvd**

**Los Angeles Ca. 90028**

**Contact: Victor Hugo Delgadillo**

**800 515 1808**

**www.radiantcolors.com**

**Product Name: SIENNA**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891	BROWN	CI # 21110
BROWN	CI # 11740	RED	CI # 12477
BLUE	CI # 74160	YELLOW	CI # 77492
ISOPROPANOL	C.A.S # 67-63-0	WATER	C.A.S#7732-18-5
GLYCERIN	C.A.S # 56-81-5		

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name:** SKY BLUE

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
GREEN	CI # 74260
BLUE	CI # 74160
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name:** SLATE BLUE

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
BLUE	CI # 74160
RED	CI # 12466
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: STANDARD WHITE**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
ISOPROPANOL	C.A.S # 67-63-0
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: STEEL BLUE**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
BLUE	CI # 74160
YELLOW	CI # 21108
ORANGE	CI # 21160
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: TEAL**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
BLUE	CI # 74160
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name:** SUPER WHITE

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: TIGER ORANGE**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

ORANGE

CI # 45370

WATER

C.A.S # 7732-18-5

GLYCERIN

C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name:** TOMATO

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
YELLOW	CI # 21108
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO2, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name:** TRIBAL BLACK

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

BLACK	CI # 77226
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: TURBO BLACK**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

BLACK	CI # 77226
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: VIOLET**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
VIOLET	CI # 51319
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name:** WINEBERRY

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WHITE	CI # 77891
VIOLET	CI # 73900
BLUE	CI # 74160
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name:** YELLOW OCHRE

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

YELLOW

CI # 77492

WATER

C.A.S # 7732-18-5

GLYCERIN

C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

[www.radiantcolors.com](http://www.radiantcolors.com)

**Product Name: COLOR MIXING**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

WATER C.A.S # 7732-18-5

GLYCERIN C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is mildly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name:** SHADER SOLUTION

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

ISOPROPANOL	C.A.S # 67-63-0
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO2, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: HARAJUKU OUTLINING**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

BLACK	CI # 77226
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material



# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

### 1: PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Radiant Colors

6601 Hollywood Blvd

Los Angeles Ca. 90028

Contact: Victor Hugo Delgadillo

800 515 1808

www.radiantcolors.com

**Product Name: HARAJUKU SHADING**

### 2: COMPOSITION/ INFORMATION AND INGREDIENTS

BLACK	CI # 77226
WATER	C.A.S # 7732-18-5
GLYCERIN	C.A.S # 56-81-5

### 3: HAZARDS IDENTIFICATION

**INGESTION:** In large quantities may cause drowsiness, headache and increase in blood pressure

**EMERGENCY OVERVIEW:** Do not allow large amounts to enter sewers, lakes, streams, or other natural waterways. May be toxic to aquatic life.

**POTENCIAL HEALTH EFFECTS:** This product is midly irritating to eyes.

**ROUTE OF ENTRY:** Skin, ingestion and inhalation

**TARGET ORGANS:** None unknown

**INHALATION:** Can cause temporary minor respiratory problems

**SKIN CONTACT:** Can cause minor skin irritation

**EYE CONTACT:** Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 4: FIRST AID MEASURES

**INHALATION:** Inhalation is an unlikely route of exposure for this product. If irritation or other symptoms occur, air out contaminated area. Get medical attention if irritation persists.

**SKIN CONTACT:** Wash affected area with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**EYE CONTACT:** Flush with plenty of water for 15 minutes, especially under lower eyelid

**INGESTION:** Do not induce vomiting, consult a physician or poison control

### 5: FIRE FIGHTING MEASURES

**Flash point:** None flammable material

**Flash point Method:** Fire point calculated > 212F (100C)

**Flammability Limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO2, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6: ACCIDENTAL RELEASE MEASURES

Contain spill with material such as dry sand or sawdust. Scoop into appropriate waste container for disposal

Soap and water may be used as necessary

### 7: HANDLING AND STORAGE

**Handling:** wash thoroughly after handling

**Storage:** store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

Keep containers closed.

# MSDS/ Material Safety Data Sheet

## Radiant Colors

MSDS/Number: #BC

Revision Date 10/03/2010

### 8: EXPOSURE CONTROL / PERSONAL PROTECTION

**Exposure Control:** Local exhaust recommended as well as safety glasses & gloves

**Exposure Limits:** Glycerin 10mg/m<sup>3</sup> (TWA)

**Personal Protection:** Safety glasses with side shields or goggles, gloves and impervious clothing are recommended. Respiratory protection is generally not required. Eyed wash fountains should be available

### 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colored liquid

**Odor:** Slight menthol

### 10: STABILITY AND REACTIVITY

**General:** This product is a stable compound and hazardous polymerizations do not occur.

Since it contains water, do not allow it to freeze

### 11: TOXICOLOGICAL INFORMATION

**Carcinogenicity:** None per OSHA, IARC or NTP

**Mutagenicity:** None indicated

**Reproductive Effects:** None indicated

### 12: ECOLOGICAL INFORMATION

**Environmental Degradation:** Slightly toxic to fish

### 13: DISPOSAL CONSIDERATION

**Disposal:** Incineration or landfilling recommended or as state, local regulations apply

# MSDS/ Material Safety Data Sheet

## Radiant Colors

---

MSDS/Number: #BC

Revision Date 10/03/2010

---

### 14: TRANSPORTATION INFORMATION

**DOT Shipping Name:** Not required  
**DOT Hazard Class:** None  
**DOT Label:** None  
**DOT Placard:** None

### 15: REGULATORY INFORMATION

**OSHA:** Maybe mildly irritating to eyes

### 16: OTHER INFORMATION

The information contained herein is based on data considered accurate

Radiant Colors assumes no responsibility for personal injury or property damage caused by the material.

Users assume all risk associated with the use of the material